acc. to OSHA, Appendix D to § 1910.1200

Universal Dressing

Version number: GHS 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier** Trade name **Universal Dressing** U1D00PP1, U1D00PP5 OPA Ref# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses rubber and vinyl dressing

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States

Telephone: 1.800.875.6320, 1.303.289.6320 Telefax e-mail: info@bbblending.com Website: bbblending.com

Competent person responsible for the SDS

e-mail (competent person)

1.4 **Emergency telephone number**

Emergency information service

Robert Blahnik bblahnik@bbblending.com

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) not required

Other hazards 2.3

Special danger of slipping by leaking/spilling product.



Date of compilation: 2015-04-07

acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Version number: GHS 1.0

Date of compilation: 2015-04-07

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Hazard class and cat- egory	Hazard statement	Pictograms
polyethylene glycol nonylphenol	CAS No 9016-45-9	1 - < 5	A.2 Skin Irrit. 2 A.3 Eye Irrit. 2	H315 H319	()

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Version number: GHS 1.0

Date of compilation: 2015-04-07

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal bind-er).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Date of compilation: 2015-04-07

Version number: GHS 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Control of the effects

Protect against external exposure, such as

frost

Consideration of other advice

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls General ventilation.

acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Version number: GHS 1.0

Date of compilation: 2015-04-07

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid (viscous)
Color	white
Odor	fruity
Other physical and chemical parameters	
pH (value)	5 - 6 at 25 °C
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapor pressure	31.69 hPa at 25 °C
Density	0.98 - 1.02 $^{\rm g}\!/_{\rm cm^3}$ 8.2 - 8.5 lbs/US Gal
Solubility(ies)	not determined



acc. to OSHA, Appendix D to § 1910.1200



Version number: GHS 1.0

Universal Dressing

Date of compilation: 2015-04-07

Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	383 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

There is no additional information.

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not relevant

acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Version number: GHS 1.0

Date of compilation: 2015-04-07

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

- National Toxicology Program (United States):
- IARC Monographs

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
polyethylene glycol nonylphenol	9016-45-9	LC50	1.821 ^{mg} / _l	aquatic invertebrates	48 hours
polyethylene glycol nonylphenol	9016-45-9	EC50	$20 ^{\text{mg}}/_{\text{l}}$	algae	48 hours
polyethylene glycol nonylphenol	9016-45-9	ErC50	50 ^{mg} / _l	algae	48 hours

none of the ingredients are listed

none of the ingredients are listed

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Version number: GHS 1.0

Date of compilation: 2015-04-07

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
polyethylene glycol nonylphenol	9016-45-9		3.7	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SEC	TION 14: Transport information	
14.1	UN number	3082
14.2	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.
14.3	Transport hazard class(es)	
	Class	9 (miscellaneous dangerous substances and articles) (environmentally hazardous)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	
14.6	Special precautions for user There is no additional information.	

acc. to OSHA, Appendix D to § 1910.1200



Version number: GHS 1.0

Universal Dressing

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations • Transport of dangerous goods by road or rail (49 CFR US DOT) Index number 3082 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. 9 Class Packing group III Danger label(s) 9 씨ト Special provisions (SP) 8, 146, 173, 335, IB3, T4, TP1, TP29 ERG No 171 • International Maritime Dangerous Goods Code (IMDG) 3082 UN number Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-QUID, N.O.S. Class 9 Subsidiary risk(s) Packing group III Danger label(s) 9 ∕∕∏∖∖ 274, 335, 909 Special provisions (SP) Excepted quantities (EQ) E1 5 L Limited quantities (LQ) F-A, S-F EmS Stowage category Α • International Civil Aviation Organization (ICAO-IATA/DGR) UN number 3082 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. 9 Class Packing group III

9 + "fish and tree"

Danger label(s)

Date of compilation: 2015-04-07



acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Version number: GHS 1.0		Date of compilation: 2015-04-07
Special provisions (SP)	A97, A158	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	30 kg	

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question 15.1

National regulations (United States)

Industry or sector specific available guidance(s)

• NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description	
Chronic	*	Chronic (long-term) health effects may result from repeated overexposure.	
Health	0	No significant risk to health.	
Flammability	1	faterials that must be preheated before ignition can occur.	
Physical hazard	0	Auterials that are normally stable, even under fire conditions, and will not react with water, olymerize, decompose, condense, or self-react. Non-explosives.	
Personal protective equipment	-		

• NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) - National Fire Protection Association (United States)

Category	Degree of hazard	Description	
Flammability	1	aterials that must be preheated before ignition can occur.	
Health	0	Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material.	
Instability	0	Materials that are normally stable, even under fire conditions.	
Special hazard			



acc. to OSHA, Appendix D to § 1910.1200



Universal Dressing

Date of compilation: 2015-04-07

Version number: GHS 1.0

SECTION 16: Other information

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
vPvB	very Persistent and very Bioaccumulative



acc. to OSHA, Appendix D to § 1910.1200

Universal Dressing

Version number: GHS 1.0

Date of compilation: 2015-04-07

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
- 49 CFR § 172.101 Hazardous Materials Table (DOT)

16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	causes skin irritation
H319	causes serious eye irritation

16.7

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.